


## Smart Proof System Instructions

It is recommended that you read all instructions below; even if you are familiar with online review practices.

Using the Smart Proof system, proof reviewers can easily review the PDF proof, annotate corrections, respond to queries directly from the locally saved PDF proof, all of which are automatically submitted directly to **our database** without having to upload the annotated PDF.

- ✓ **Login into Smart Proof** anywhere you are connected to the internet.
- ✓ **Review the proof** on the following pages and mark corrections, changes, and query responses using the **Annotation Tools**.

**Note:** Editing done by replacing the text on this PDF is not permitted with this application.



- ✓ **Save your proof corrections** by clicking the "Publish Comments" button.  
Corrections don't have to be marked in one sitting. You can publish comments and log back in at a later time to add and publish more comments before you click the "Complete Proof Review" button below.
- ✓ **Complete your review** after all corrections have been published to the server by clicking the "Complete Proof Review" button below.

### **Before completing your review.....**

Did you reply to all author queries found in your proof?

Did you click the "Publish Comments" button to save all your corrections?  
Any unpublished comments will be lost.

**Note:** Once you click "Complete Proof Review" you will not be able to add or publish additional corrections.

# AUTHOR QUERIES

**Note:** It is crucial that you NOT make direct edits to the PDF using the editing tools as doing so could lead us to overlook your desired changes. Edits should be made via the 'comments' feature.

## AUTHOR PLEASE ANSWER ALL QUERIES

AQ1— Please confirm the given-names and surnames are identified properly by the colours.

■=Given-Name, ■= Surname

The colours are for proofing purposes only. The colours will not appear online or in print.

AQ2— Please check the accuracy of the affiliation(s) of each author. Institution information should accurately reflect where the research was conducted at initial submission, therefore the **institution cannot be changed**. Department names, cities and typos can be corrected and please ensure to include the city and country names in the affiliation(s), as these are mandatory in line with Emerald house style. Affiliations cannot be changed once the article has published online.

AQ3— Please note the addition of "Department of" to the affiliation "University of Plymouth, Plymouth, UK". We request you to verify the accuracy and appropriateness of this.

AQ4— Please check the correctness of the affiliation and amend as and if necessary.

AQ5— Note that to conform to the journal guidelines, please provide a sentence that uses the phrase "the purpose of this study/paper. . ." or "this study/paper aims to. . ." in the Purpose section of the Abstract.

AQ6— Please note that the term "in-patient" has been changed to "inpatient" throughout the text. Please check and amend if necessary.

AQ7— Please note that the following citation is not listed in the reference list. Please provide full details for these citations: Bubb *et al.* (2014).

AQ8— Please check the following sentence for clarity, and amend as necessary: "However, there are concerns . . .".

AQ9— There are currently no acknowledgements/funding included. Please confirm if this is correct or provide the acknowledgements/funding.

# Commentary on “Why am I still in hospital? Evaluation of delayed discharges from two learning disability assessment and treatment units in England”

Rohit Shankar

AQ:1

## Abstract

**Purpose** – This commentary explores the challenges and themes enumerated by the associated article “Why am I still in hospital? Evaluation of delayed discharges from two learning disability assessment and treatment units in England”. This commentary broadens and outlines the research’s background, premise and potential impact.

AQ: 3

AQ: 4

**Design/methodology/approach** – This commentary considers the attitudes to inpatient care for people with learning disabilities in the past decade and outlines a possible compact for the future.

AQ: 5

**Findings** – Contrary to popular and emotive beliefs that using specialist inpatient psychiatric settings for people with learning disabilities is universally a poor practice, there are defined occasions when such settings are needed and imperative in the clinical pathway. If people with learning disabilities can access inpatient settings at the right time for the right reason, psychiatric outcomes could be improved. Timely discharge is imperative and currently lacking due to a lack of suitable engagement mechanisms between inpatient settings and the community. Thus, evidence-based outcome tools are essential to facilitate appropriate discharge.

AQ: 6

**Originality/value** – There is an ongoing debate on the value and utility of specialist inpatient psychiatric units for people with learning disabilities. This commentary provides a balanced, evidence-based insight into this discussion.

**Keywords** Learning disabilities, Community living, Deinstitutionalisation, Challenging behaviour, Abuse, Intellectual disability

**Paper type** Viewpoint

Rohit Shankar is based at the Department of, University of Plymouth, Plymouth, UK.

A

## Introduction

Gibson *et al.* (2023; this issue) analysed the reasons for delayed discharges for 44 admissions in two regional assessment and treatment units for adults with learning disabilities between 2019 and 2022. This has been a topical and emotive subject in the past decade following the Winterbourne abuse scandal. The scandal, which horrified the nation, led to an in-depth inquiry into the hospital concerned and the larger commissioning and service delivery of mental health services for people with learning disabilities (Department of Health, 2012). Post Winterbourne, there were approximately 2,600 people with learning disabilities in specialist inpatient psychiatric beds. It was suggested that 24,000 adults were exhibiting severe behaviours that challenge, making them a high-risk group for inpatient admissions (Lowe *et al.*, 2007). The Bubb *et al.* (2014) report recognised that some people required specialist assessment and treatment. However, it highlighted the lack of suitable community provisions to prevent admissions or return people with learning disabilities back to their communities swiftly post treatment (Transforming Care and Commissioning Steering Group, 2014). To break the

AC

gridlock, £100m was allocated to develop suitable community resources to reduce inpatient beds by 50% by 2023/2024 (NHS England *et al.*, 2016). This was an extension of the ambition of the English National Health System (NHS) to discharge 50% of the population of 2,600 inpatients to more appropriate care settings by 2015. However, as of 2022, over 2,000 people with learning disabilities remained in inpatient psychiatric settings. Of further interest was that the average length of stay as of 2022 for those in inpatient settings was over five years (Department of Health and Social Care, 2022). The resistance to change regarding the reduction of inpatient psychiatric beds in England can be attributed to various complex and multifactorial reasons.

## Inpatient considerations

### *Mental illness and behaviours that challenge*

Mental health conditions are more prevalent among people with learning disabilities than the general population (The Royal College of Psychiatrists, 2020). Recent epidemiological research suggests that the prevalence within the adult learning disabilities population is between 20.1% and 23.4%, excluding behaviours that challenge and autism, compared to 16% of the general adult population (Hughes-McCormack *et al.*, 2017; Sheehan *et al.*, 2015). The complexity of multi-morbidity, communication needs, assessment and diagnosis can lead to failure to recognise mental health conditions, and this is compounded by diagnostic overshadowing (Reiss *et al.*, 1982).

Around 25% of people with learning disabilities exhibit behaviours that challenge (Bowring *et al.*, 2019). In certain cases, behaviours can be extreme, making it challenging to evaluate and determine the underlying reasons, including psychiatric needs. Consequently, it is reasonable to anticipate that individuals with learning disabilities may require inpatient assessment and support to address their psychiatric needs. While justifiable for psychiatric concerns and risk mitigation, there is limited evidence to support a prolonged inpatient stay solely for that reason.

### *Specialist settings vs generic psychiatric settings*

Work has been underway since the 2000s and updated at different points, using the Greenlight toolkit to enable people with learning disabilities to access mainstream psychiatric services (National Development Team for Inclusion, 2022). However, more research is needed on the challenges and strengths local generic psychiatric units can offer (or not!) in post-Winterbourne recommendations (Department of Health, 2012). Recent evidence suggests that admission to inpatient services is associated with improvements in mental health for this population with some evidence indicating better outcomes for those admitted to specialist inpatient units (Melvin *et al.*, 2022).

Equally, there are significant limitations on what general psychiatric services can offer (Walton *et al.*, 2022). Significant perception gaps exist between expectation and reality by decision-makers about workforce competency, resource availability and individual patient complexity, which tend to be lacking in these services (Jones *et al.*, 2021). The following two issues illustrate this. Firstly, in England, since 1987/1988, psychiatric beds have fallen by 73% from around 67,100 to 18,400, and mental health bed occupancy currently exceeds 90%. Secondly, while the average length of stay in psychiatric inpatient units has varied, it has not fallen. The average stay in a psychiatric bed in 2016/2017 was seven weeks (The Royal College of Psychiatrists, 2019). The average time for assessing and treating a person with learning disabilities in a specialist assessment and treatment unit, irrespective of the cause of admission, was six months. Recognised challenges to finding suitable discharge lead to staying up to nine months (Abraham *et al.*, 2022).

Given these contextual issues and pressures on existing acute psychiatric units, supporting individuals with learning disabilities can be challenging to deliver in the current climate.

What appears to be of benefit is bespoke models of specialist inpatient care developed and implemented locally as parallel and in addition to local general psychiatric inpatient services (Burrows *et al.*, 2022). A further need is to ensure evidence-based outcome measures are embedded into the inpatient system to inform better the debate on which setting is more appropriate (Abraham *et al.*, 2022).

### *The proposed mental health act reforms*

Another influencer to this debate is the draft Mental Health Bill (Secretary of State for Health and Social Care and Lord Chancellor and Secretary of State for Justice, 2021). It proposes to remove detention in hospitals for people with learning disabilities in the absence of mental illness post 28 days (MHA Section 2). To a large part, this amendment is focused on reducing delayed discharges. However, there are concerns about significant unintended consequences, not in the least that the loss of MHA safeguards would increase the likelihood of more people with learning disabilities being incarcerated in prison, being prescribed more psychotropics off licence and being discriminated against (Tromans *et al.*, 2023).

AQ: 6

### **Community factors**

Suitable housing standards, staff support/training and health-care access influence the success of sustainable repatriation or prevent admission (Lennard *et al.*, 2020). However, this has been problematic in practical delivery, mainly as it requires interagency working across private and public sectors. This has led to complex and high-risk individuals being placed permanently in out-of-their-home area placements despite UK national guidance advocating for the opposite (Shankar *et al.*, 2015). Service users who do not have close family members to advocate for them appear to be especially vulnerable to this practice (Shankar *et al.*, 2015). There is concern that the pressure to reduce delayed discharges and reduce specialist beds will further accentuate this problem. Evidence-based toolkits are proposed to enable safe, sustainable and timely discharge (Lennard *et al.*, 2020).

### **Other significant influencers**

#### *Private–public inpatient unit divide*

As NHS beds have been reduced, the private sector has grown to fill the void (Brown *et al.*, 2019). There is no uniform focus on quality and outcomes across all providers, with much of the “bottom-up” research on these matters emerging from NHS sites. There should be a requirement for all inpatient providers to contribute to evidence of quality, standards and outcomes.

#### *Psychotropic medication prescribing*

Along with the concerns about delayed inpatient discharge, there was recognition that people with learning disabilities are significantly overprescribed psychotropic medication, specifically antipsychotics (Sheehan *et al.*, 2015). Over the past decade, due to initiatives against this practice (Branford *et al.*, 2019), there has been a focus on antipsychotic medication, leading to increased prescribing of antidepressants and antiseizure medications outside their licenced indications, to manage behaviours that challenge (Branford *et al.*, 2023). Reducing inpatient facilities increases the risk of people with learning disabilities increasingly being subject to irrational psychotropic prescribing to mitigate the risk of inpatient admission (Sheehan *et al.*, 2018). This possible unintended consequence can lead to iatrogenic harm over time.

#### *Patients and their families*

Patients and their families should be empowered to engage in informed decision-making. Unfortunately, their voices can be quite masked in the larger political–clinical discussion.

Although there are individual case studies, particularly when horrific abuses are perpetuated, little discussion is balanced with the evidence presented. There is also little debate on what works well, with the focus much on what has gone wrong in inpatient settings. On a positive aspect, some passionate charities are knowledgeable of these issues, hold services to account and are politically active.

## Conclusion

In summary, efforts to address the issue of specialist inpatient beds have focused on reducing beds without improving community care. However, it is important to challenge the simplistic view that inpatient settings are inherently flawed and community settings are inherently good. This perspective is especially rigid when it comes to psychiatric beds, particularly in learning disabilities, unlike medical fields where the emphasis is on enhancing care. This raises questions about the appropriate number of specialist inpatient beds and whether removing beds reduces delayed discharges.



## References

- Abraham, J., Purandare, K., McCabe, J., Wijeratne, A., Eggleston, E., Oak, K., Laugharne, R., Roy, A. and Shankar, R. (2022), "An 8-year study of admissions and discharges to a specialist intellectual disability inpatient unit", *Journal of Applied Research in Intellectual Disabilities*, Vol. 35 No. 2, pp. 569-576.
- Bowring, D.L., Painter, J. and Hastings, R.P. (2019), "Prevalence of challenging behaviour in adults with intellectual disabilities, correlates, and association with mental health", *Current Developmental Disorders Reports*, Vol. 6 No. 4, pp. 173-181.
- Branford, D., Gerrard, D., Saleem, N., Shaw, C. and Webster, A. (2019), "Stopping over-medication of people with intellectual disability, autism or both (STOMP) in England part 1 – history and background of STOMP", *Advances in Mental Health and Intellectual Disabilities*, Vol. 13 No. 1, pp. 31-40.
- Branford, D., Sun, J.J. and Shankar, R. (2023), "Antiseizure medications prescribing for behavioural and psychiatric concerns in adults with an intellectual disability living in England", *The British Journal of Psychiatry*, Vol. 222 No. 5, pp. 191-195.
- Brown, M., James, E. and Hatton, C. (2019), "Is care transformed? A review of transforming care in England", available at: <http://wp.lancs.ac.uk/cedr/files/2019/07/Inpatient-Admissions-and-Attempts-to-Transform-Care-in-England-1.pdf> (accessed 26 May 2023).
- Burrows, L., Page, G., Plugaru, E., Kent, B., Odiyoor, M., Jaydeokar, S., Williams, J., Elliot, K., Laugharne, R. and Shankar, R. (2022), "Ideal models of good inpatient care for adults with intellectual disability: lessons from England", *International Journal of Social Psychiatry*, Vol. 69 No. 4, pp. 814-822.
- Department of Health (2012), "Transforming care: a national response to winterbourne view hospital", available at: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/213215/final-report.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/213215/final-report.pdf) (accessed 26 May 2023).
- Department of Health and Social Care (2022), "Building the right support action plan", available at: [www.gov.uk/government/publications/building-the-right-support-for-people-with-a-learning-disability-and-autistic-people/building-the-right-support-action-plan](http://www.gov.uk/government/publications/building-the-right-support-for-people-with-a-learning-disability-and-autistic-people/building-the-right-support-action-plan) (accessed 26 May 2023).
- Gibson, D.A., Eick, H., Meddings, S. and Woodrow, C. (2023), "Why am I still in hospital? Evaluation of delayed discharges from two learning disability assessment and treatment units in England", *Tizard Learning Disability Review*.
- Hughes-McCormack, L.A., Ryzewska, E., Henderson, A., MacIntyre, C., Rintoul, J. and Cooper, S.-A. (2017), "Prevalence of mental health conditions and relationship with general health in a whole-country population of people with intellectual disabilities compared with the general population", *BJPsych Open*, Vol. 3 No. 5, pp. 243-248.
- Jones, K., Gangadharan, S., Brigham, P., Smith, E. and Shankar, R. (2021), "Current practice and adaptations being made for people with autism admitted to in-patient psychiatric services across the UK", *BJPsych Open*, Vol. 7 No. 3, p. e102.
- Lennard, S., Sharpe, R., Goodey, R., Hudson, S. and Shankar, R. (2020), "Creating capable communities for people with intellectual disabilities: challenges and opportunities", *Journal of Mental Health Research in Intellectual Disabilities*, Vol. 13 No. 3, pp. 174-200.

Lowe, K., Allen, D., Jones, E., Brophy, S., Moore, K. and James, W. (2007), "Challenging behaviours: prevalence and topographies", *Journal of Intellectual Disability Research*, Vol. 51 No. 8, pp. 625-636.

Melvin, C.L., Barnoux, M., Alexander, R., Roy, A., Devapriam, J., Blair, R., Tromans, S., Shepstone, L. and Langdon, P.E. (2022), "A systematic review of in-patient psychiatric care for people with intellectual disabilities and/or autism: effectiveness, patient safety and experience", *BJPsych Open*, Vol. 8 No. 6, p. e187.

National Development Team for Inclusion (2022), "Green light toolkit 2022", available at: <https://surveys.ndti.org.uk/> (accessed 26 May 2023).

NHS England, Local Government Association, and Association of Directors of Adults Social Services (2016), "Building the right home", available at: [www.england.nhs.uk/learningdisabilities/wp-content/uploads/sites/34/2015/11/building-right-home-guidance-housing.pdf](http://www.england.nhs.uk/learningdisabilities/wp-content/uploads/sites/34/2015/11/building-right-home-guidance-housing.pdf) (accessed 26 May 2023).

Reiss, S., Levitan, G.W. and Szyszko, J. (1982), "Emotional disturbance and mental retardation: diagnostic overshadowing", *American Journal of Mental Deficiency*, Vol. 86 No. 6, pp. 567-574.

Secretary of State for Health and Social Care and Lord Chancellor and Secretary of State for Justice (2021), "Reforming the mental health act", available at: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/951398/mental-health-act-white-paper-web-accessible.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/951398/mental-health-act-white-paper-web-accessible.pdf) (accessed 26 May 2023).

Shankar, R., Olotu, V., Axby, S., Hargreaves, C. and Devapriam, J. (2015), "Managing clients placed far away from their communities", *Learning Disability Practice*, Vol. 18 No. 1, pp. 29-34.

Sheehan, R., Hassiotis, A., Walters, K., Osborn, D., Strydom, A. and Horsfall, L. (2015), "Mental illness, challenging behaviour, and psychotropic drug prescribing in people with intellectual disability: UK population based cohort study", *BMJ*, p. h4326.

Sheehan, R., Lunsby, Y. and Hassiotis, A. (2018), "Achieving better health for people with intellectual disability: the power of policy", *BJPsych Open*, Vol. 4 No. 2, pp. 47-48.

The Royal College of Psychiatrists (2019), "Exploring mental health inpatient capacity across sustainability and transformation partnerships in England", available at: [www.strategyunitwm.nhs.uk/sites/default/files/2019-11/Exploring%20Mental%20Health%20Inpatient%20Capacity%20across%20Sustainability%20and%20Transformation%20Partnerships%20in%20England%20-%2020191030\\_1.pdf](http://www.strategyunitwm.nhs.uk/sites/default/files/2019-11/Exploring%20Mental%20Health%20Inpatient%20Capacity%20across%20Sustainability%20and%20Transformation%20Partnerships%20in%20England%20-%2020191030_1.pdf) (accessed 26 May 2023).

The Royal College of Psychiatrists (2020), "Mental health services for adults with mild intellectual disability", available at: [www.rcpsych.ac.uk/docs/default-source/improving-care/better-mh-policy/college-reports/college-report-cr226.pdf?sfvrsn=8220109f\\_2](http://www.rcpsych.ac.uk/docs/default-source/improving-care/better-mh-policy/college-reports/college-report-cr226.pdf?sfvrsn=8220109f_2) (accessed 26 May 2023).

Transforming Care and Commissioning Steering Group (2014), "Winterbourne view-time for change: transforming the commissioning of services for people with learning disabilities and/or autism", available at: [www.england.nhs.uk/wp-content/uploads/2014/11/transforming-commissioning-services.pdf](http://www.england.nhs.uk/wp-content/uploads/2014/11/transforming-commissioning-services.pdf) (accessed 26 May 2023).

Tromans, S., Bhui, K., Sawhney, I., Odiyoor, M., Courtenay, K., Roy, A., Boer, H., Alexander, R., Biswas, A., McCarthy, J. and Gulati, G. (2023), "The potential unintended consequences of mental health act reforms in England and Wales on people with intellectual disability and/or autism", *The British Journal of Psychiatry*, Vol. 222 No. 5, pp. 188-190.

Walton, C., Medhurst, D., Madhavan, G. and Shankar, R. (2022), "The current provision of mental health services for individuals with mild intellectual disability: a scoping review", *Journal of Mental Health Research in Intellectual Disabilities*, Vol. 15 No. 1, pp. 49-75.

## Corresponding author

Rohit Shankar can be contacted at: [rohit.shankar@plymouth.ac.uk](mailto:rohit.shankar@plymouth.ac.uk)

---

For instructions on how to order reprints of this article, please visit our website:

[www.emeraldgroupublishing.com/licensing/reprints.htm](http://www.emeraldgroupublishing.com/licensing/reprints.htm)

Or contact us for further details: [permissions@emeraldinsight.com](mailto:permissions@emeraldinsight.com)